WO 2005/082378 PCT/SE2005/000238

CLAIMS

1. A medical solution comprising a first single solution containing glucose and/or glucose-like compound, wherein said first single solution has a pH in the range of 1.8 - 2.6.

5

25

- 2. The medical solution according to claim 1, wherein said first single solution has a pH in the range of 2.0 2.6.
- 3. The medical solution according to claim 1, wherein said first single solution has a pH in the range of 1.8 2.5.
- 4. The medical solution according to claim 1, wherein said first single solution has a pH in the range of 2.0 2.5.
 - 5. The medical solution according to claim 1, wherein said first single solution has a pH in the range of 1.8 2.3.
- 6. The medical solution according to claim 1,
 wherein said first single solution has a pH in the range
 of 2.0 2.3.
 - 7. The medical solution according to any of the previous claims, wherein the medical solution comprise a second single solution containing a buffer solution having such a pH and buffering capacity that when said first and second single solutions up on use are to be
- first and second single solutions up on use are to be mixed to form a final solution, said final solution has a pH of 6.0 7.6.
- 8. The medical solution according to any of the previous claims, wherein the medical solution further contains one or more electrolytes.

WO 2005/082378 PCT/SE2005/000238

9. The medical solution according to claim 8, wherein said electrolytes comprise one or more of the ions of sodium, calcium, potassium, magnesium and/or chloride.

- 5 10. The medical solution according to claim 8 or 9, wherein one or more electrolytes are arranged in said second single solution.
 - 11. The medical solution according to any of claims 8-10, wherein one or more electrolytes are arranged in said first single solution.

10

15

20

25

- 12. The medical solution according to any of the previous claims, wherein the medical solution further comprises a third single solution and wherein said third single solution also contains glucose and/or glucose-like compounds and has a pH of at least 1.8, preferably at least 2.0 and a pH of at most 2.6, preferably at most 2.5, most preferably at most 2.3.
- 13. The medical solution according to claim 12, wherein one or more electrolytes are arranged in said third single solution.
- 14. A medical solution according to claim 12 or claim 13, wherein said first and third single solutions contain different total amounts of glucose and/or glucose-like compounds, wherein said first and third single solutions, up on use, individually or jointly is/are to be mixed with said second single solution to form a final solution, and wherein said final solution has a pH in the range of 6.0 7.6.
- 15. The medical solution according to any of claims
 30 7 to 14, wherein the different single solutions are
 provided in different compartments in a multi-compartment
 bag before being mixed to the final solution.

WO 2005/082378 PCT/SE2005/000238

16. A method for producing a medical solution according to any of the previous claims, said method comprising:

providing said first single solution and optional second and third single solutions in separate compartment(s), and thereafter

5

20

25

terminal sterilizing said single solution(s).

- 17. A method according to claim 16, wherein terminal sterilization is heat sterilization and/or radiation 10 sterilization.
 - 18. A method according to claim 16 or 17, wherein terminal sterilization is heat sterilization at a temperature of at least 100°C, preferably at least 121°C.
- 19. A method according to any of claims 16-18,

 15 wherein said first single solution and said second single solution, after terminal sterilization and up on use, are mixed to form a final solution.
 - 20. A method according to any of claims 16-18, wherein said second single solution and said third single solution, after terminal sterilization and up on use, are mixed to form a final solution.
 - 21. A method according to any of claims 16-18, wherein said first single solution, said third single solution and said second single solution, after terminal sterilization and up on use, are mixed to form a final solution.
 - 22. A multi-compartment bag comprising the medical solution according to any of claims 1-15.
- 23. A use of a medical solution according to any of 30 claims 1-15.